

ShowerSelect Comfort S
Thermostat for concealed installation for 1 function
 Finish: **Chrome** Article Number: **15553000**



Description

product features

- 1 function
- comfortable turning on / off of one outlet with large Select-paddle
- water flow control with stop function
- thermostat cartridge, Start/stop valve to operate the functions
- maximum flow rate at 3 bar: 20,3 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- flat escutcheon for more space in the shower
- escutcheon can be aligned by +/- 3°
- easy installation due to pre-assembled function block
- handles always at the same height regardless of the installation depth of the basic set
- Safety stop at 40 °C
- temperature limitation adjustable
- material button: metal
- material handles: metal
- connection type: basic set iBox universal 2 (# 01500180)
- thermostat is delivered with button On/Off

Technology




Design awards



Product image




Scale drawing



ShowerSelect Comfort S
Thermostat for concealed installation for 1 function
 Finish: **Chrome** Article Number: **15553000**



Flowchart




ShowerSelect Comfort S
Thermostat for concealed installation for 1 function
 Finish: **Chrome** Article Number: **15553000**



Exploded Drawing

Year of production: >09/23



ShowerSelect Comfort S
Thermostat for concealed installation for 1 function
 Finish: **Chrome** Article Number: **15553000**



Spare part list

Year of production: >09/23

Pos.	Description	Article Number	PC	PU
1	handle for thermostat	94931000	8	1
2	handle	94932000	7	1
3	symbol ON/OFF	94926000	8	1
4	O-ring 3,1x1,6	94927000	2	1
5	press switch	94970000	11	1
6	cover	94975000	9	1
7	sealing set	94933000	2	1
8	sub plate	94972000	14	1
9	compensation set	94930000	3	1
10	hexagon socket screw M4x12	94929000	2	1
11	Select-adapter	94900000	7	1
12	nut	98368000	4	1
13	shut off unit	95758000	14	1
14	nut	98913000	6	1
15	thermostat cartridge	98282000	14	1
16	shut off unit right closing	94009000	9	1
17	service unit	94928000	8	1
18	O-ring 16x2,5	98134000	1	1
19	extension 5 mm	13614000	99	1
20	extension 22 mm	13624000	99	1
21	extension 25 - 75 mm	13632000	99	1
22	extension 25 mm	13638000	99	1
a	concealed item	01500180	99	1
b	set of adapters	13588000	99	1
c	service tool	87567000	1	1